

APPLICATION FOR PERMIT TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

SEP 09 1988

Date of filing in State Engineer's Office.....

Returned to applicant for correction.....

Corrected application filed.....

SEP 09 1988

Map filed.....

The applicant Kevin E. Gonder.....

P.O. Box 23....., of Baker.....
Street and No. or P.O. Box No. City or Town

Nevada 89311....., hereby make application for permission to appropriate the public
State and Zip Code No.

waters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of incorporation; if a copartnership or association, give names of members.).....

1. The source of the proposed appropriation is Underground Sources
Name of stream, lake, spring, underground or other source

2. The amount of water applied for is 0.1 cfs.....second-feet
One second-foot equals 448.83 gals. per min.

(a) If stored in reservoir give number of acre-feet.....

3. The water to be used for Commercial
Irrigation, power, mining, manufacturing, domestic, or other use. Must limit to one use.

4. If use is for:

(a) Irrigation, state number of acres to be irrigated.....

(b) Stockwater, state number and kinds of animals to be watered.....

(c) Other use (describe fully under "No. 12. Remarks").....

(d) Power:

(1) Horsepower developed.....

(2) Point of return of water to stream.....

5. The water is to be diverted from its source at the following point in the NW¼ SE¼ of Section 9, T.
Describe as being within a 40-acre subdivision of public

13 N., R.70 E., M.D.B.&M whence the South ¼ corner of said Section 9 bears S.1°
survey, and by course and distance to a section corner. If on unsurveyed land, it should be so stated.

07'W., 2210 feet distant.

6. Place of use Portions of the NW¼ SE¼ of Section 9, T.13 N., R.70 E., M.D.B.&M.
Describe by legal subdivision. If on unsurveyed land, it should be so stated.

7. Use will begin about January 1st and end about December 31st....., of each year.
Month and Day Month and Day

8. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) Water will be pumped into a pressure tank
State manner in which water is to be diverted, i.e. diversion structure, ditches and
and then distributed within the place of use
flumes, drilled well with pump and motor, etc.

9. Estimated cost of works \$10,000.....

10. Estimated time required to construct works..... 3 years
 If well completed, describe works.

11. Estimated time required to complete the application of water to beneficial use..... 5 years

12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

This application will service a building that includes restrooms, sinks janitorial room, and landscaping which will house the U.S. Post Office within the Town of Baker at an estimated consumptive rate of 1.25 g.p.m., 335 days per year, for an annual use of 603,000 gallons.

By..... /s/ Richard W. Forman
 Richard W. Forman Agent
 P.O. Box 150
 Ely, Nevada 89301

Compared kh/jm pm/se

Protested.....

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance and that the final water right obtained under this permit will be dependent upon the amount of water actually placed to beneficial use. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. If the well is flowing, a valve must be installed and maintained to prevent waste. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins or before the Proof of Completion of Work is filed.

This Permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

No perforations shall be put in the production casing from ground level to 100 feet.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.10 cubic feet per second, but not to exceed 0.603 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before March 24, 1990

Proof of completion of work shall be filed on or before April 24, 1990

Application of water to beneficial use shall be made on or before March 24, 1992

Proof of the application of water to beneficial use shall be filed on or before April 24, 1992

Map in support of proof of beneficial use shall be filed on or before N/A

Completion of work filed JUL 23 1990 IN TESTIMONY WHEREOF, I PETER G. MORROS

Proof of beneficial use filed MAY 29 1992 State Engineer of Nevada, have hereunto set my hand and the seal of my

Cultural map filed..... office, this 24th day of March,

Certificate No. 13481 Issued OCT 07 1992 A.D. 19 89

State Engineer